



## 1. Chemical product and company identification

<b>Product name</b>	<b>Castrol Aviator A 100</b>
<b>SDS #</b>	0000003095
<b>Code</b>	0000003095
<b>Product use</b>	Engine oils. For specific application advice see appropriate Technical Data Sheet or consult our company representative.
<b>Supplier</b>	Air BP Brasil Ltda. Av. Rouxinol, 55 - 5. andar 04516-000 - Moema São Paulo, SP - Brasil  Tel: (55 - 11) 3054 9300 Fax: (55 - 11) 3054 9301/9313

## 2. Composition/information on ingredients

<b>Ingredient name</b>	<b>CAS number</b>	<b>% by weight</b>
Base oil - highly refined	Mixture	95 - 100

Occupational Exposure Limit(s), if available, are listed in section 8.

## 3. Hazards identification

<b>Physical state</b>	Liquid.
<b>Color</b>	Clear. Amber.
<b>Emergency overview</b>	CAUTION!  MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. MAY CAUSE RESPIRATORY TRACT IRRITATION.  Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
<b>Routes of entry</b>	Dermal contact. Eye contact. Inhalation. Ingestion.
<b>Potential health effects</b>	
<b>Eyes</b>	May cause eye irritation.
<b>Skin</b>	May cause skin irritation. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis. Used engine oil may contain hazardous components which have the potential to cause skin cancer.
<b>Inhalation</b>	May cause respiratory tract irritation.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation and diarrhea.
<b>Medical conditions aggravated by over-exposure:</b>	None identified.

See toxicological information (section 11).

<b>Product name</b>	Castrol Aviator A 100	<b>Product code</b>	0000003095	<b>Page:</b> 1/4
<b>Version</b> 1	<b>Date of issue</b>	06/27/2007.	<b>Format</b> Brazil	<b>Language</b> ENGLISH
	<b>Date of printing</b>	06/27/2007.	<b>Build</b> 3.2.5 (Brazil)	<b>(ENGLISH)</b>

---

## 4. First aid measures

<b>Eye contact</b>	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
<b>Skin contact</b>	Immediately wash exposed skin with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation develops.
<b>Inhalation</b>	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
<b>Ingestion</b>	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear. If large quantities of this material are swallowed, call a physician immediately.

---

## 5. Fire-fighting measures

<b>Flammability of the product</b>	May be combustible at high temperature.
<b>Products of combustion</b>	carbon oxides (CO, CO <sub>2</sub> ) (carbon monoxide, carbon dioxide)
<b>Unusual fire/explosion hazards</b>	Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat and shocks and mechanical impacts.
<b>Fire-fighting media and instructions</b>	In case of fire, use water fog, foam, dry chemicals, or carbon dioxide. Do not use water jet.
<b>Protective clothing (fire)</b>	Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

---

## 6. Accidental release measures

<b>Personal precautions</b>	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (See Section: "Exposure controls/personal protection"). Follow all fire fighting procedures (See Section: "Fire-fighting measures").
<b>Environmental precautions and clean-up methods</b>	If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Avoid contact of spilled material with soil and prevent runoff entering surface waterways. See Section 13 for Waste Disposal Information.
<b>Personal protection in case of a large spill</b>	Chemical splash goggles. Chemical resistant protective suit. Boots. Chemical resistant gloves. Vapor respirator or a self-contained breathing apparatus. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.  CAUTION: The protection provided by air-purifying respirators is limited. Use a positive pressure air-supplied respirator if there is any potential for an uncontrolled release, if exposure levels are not known, or if concentrations exceed the protection limits of air-purifying respirator.

---

## 7. Handling and storage

<b>Handling</b>	Avoid contact with skin and clothing. Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Use only with adequate ventilation. Avoid breathing vapor or mist. Wash thoroughly after handling.
<b>Storage</b>	Keep container tightly closed. Keep container in a cool, well-ventilated area. Empty containers may contain harmful, flammable/combustible or explosive residue or vapors. Do not cut, grind, drill, weld, reuse or dispose of containers unless adequate precautions are taken against these hazards.

---

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### Ingredient name

Base oil - highly refined

#### Occupational exposure limits

##### ACGIH (United States).

STEL: 10 mg/m<sup>3</sup> 15 minute(s). Form: Oil mist, mineral

TWA: 5 mg/m<sup>3</sup> 8 hour(s). Form: Oil mist, mineral

Where there are no regulatory exposure limits, for information and guidance, the ACGIH values are included. For further information on these please consult your supplier.

Whilst specific OELs for certain components are included in this SDS, it should be noted that other components of the preparation will be present in any mist, vapour or dust produced. For this reason, the specific OELs may not be applicable to the product and are provided for guidance purposes.

<b>Product name</b>	Castrol Aviator A 100	<b>Product code</b>	000003095	<b>Page:</b> 2/4
<b>Version</b> 1	<b>Date of issue</b>	06/27/2007.	<b>Format</b> Brazil	<b>Language</b> ENGLISH
	<b>Date of printing</b>	06/27/2007.	<b>Build</b> 3.2.5 (Brazil)	<b>(ENGLISH)</b>

<b>Control Measures</b>	Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are close to the work-station location.
<b>Hygiene measures</b>	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
<b>Personal protection</b>	
<b>Eyes</b>	Avoid contact with eyes. Chemical splash goggles.
<b>Skin and body</b>	Avoid contact with skin and clothing. Wear suitable protective clothing.
<b>Respiratory</b>	Use only with adequate ventilation. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable.
<b>Hands</b>	Wear gloves that cannot be penetrated by chemicals or oil. Recommended: Nitrile gloves. The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.  Consult your supervisor or S.O.P. for special handling directions

Consult local authorities for acceptable exposure limits.

## 9. Physical and chemical properties

<b>Physical state</b>	Liquid.
<b>Odor</b>	Petroleum
<b>Color</b>	Clear. Amber.
<b>Pour Point</b>	-18 °C
<b>Density</b>	893.4 kg/m <sup>3</sup> (0.893 g/cm <sup>3</sup> )
<b>Solubility</b>	insoluble in water.
<b>Viscosity</b>	Kinematic: 18.7 mm <sup>2</sup> /s (18.7 cSt) at 100°C
<b>Flash point</b>	272 °C (Open cup) Cleveland.

## 10. Stability and reactivity

<b>Stability and reactivity</b>	The product is stable.
<b>Conditions to avoid</b>	Keep away from heat, sparks and flame.
<b>Incompatibility with various substances</b>	Reactive or incompatible with the following materials: oxidizing materials.
<b>Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>Hazardous polymerization</b>	Will not occur.

## 11. Toxicological information

<b>Acute toxicity</b>	USED ENGINE OILS Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.
<b>Chronic toxicity</b>	
<b>Carcinogenic effects</b>	No component of this product at levels greater than 0.1% is identified as a carcinogen by ACGIH or the International Agency for Research on Cancer (IARC). No component of this product present at levels greater than 0.1% is identified as a carcinogen by the U.S. National Toxicology Program (NTP) or the U.S. Occupational Safety and Health Act (OSHA).
<b>Mutagenic effects</b>	

<b>Product name</b>	Castrol Aviator A 100	<b>Product code</b>	0000003095	<b>Page:</b> 3/4
<b>Version</b> 1	<b>Date of issue</b>	06/27/2007.	<b>Format</b> Brazil	<b>Language</b> ENGLISH
	<b>Date of printing</b>	06/27/2007.	<b>Build</b> 3.2.5 (Brazil)	<b>(ENGLISH)</b>

**Teratogenic effects**

No component of this product at levels greater than 0.1% is classified by established regulatory criteria as teratogenic or embryotoxic.

**Other chronic toxicity data**

Contains trace amounts of Triaryl phosphates isopropylated which is classified with Possible risk of impaired fertility. and Possible risk of harm to the unborn child. Based on animal studies .

**Synergistic Effects**

No known synergistic effects.

**12. Ecological information****Ecotoxicity**

No testing has been performed by the manufacturer.

**13. Disposal considerations****Waste information**

Avoid contact of spilled material and runoff with soil and surface waterways. Consult an environmental professional to determine if local, regional or national regulations would classify spilled or contaminated materials as hazardous waste. Use only approved transporters, recyclers, treatment, storage or disposal facilities. Dispose of in accordance with all applicable local and national regulations.

[Consult your local or regional authorities.](#)

**14 . Transport information**

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO, Mexico)

**15 . Regulatory information****Other regulations****Inventories**

**United States inventory (TSCA 8b):** All components are listed or exempted.

**Europe inventory:** All components are listed or exempted.

**Australia inventory (AICS):** All components are listed or exempted.

**Canada inventory:** All components are listed or exempted.

**China inventory (IECSC):** All components are listed or exempted.

**Japan inventory (ENCS):** All components are listed or exempted.

**Korea inventory (KECI):** All components are listed or exempted.

**Philippines inventory (PICCS):** All components are listed or exempted.

**16. Other information****Label requirements**

CAUTION!

MAY CAUSE EYE IRRITATION.  
MAY CAUSE SKIN IRRITATION.  
MAY CAUSE RESPIRATORY TRACT IRRITATION.

**History****Date of issue**

**06/27/2007.**

**Date of previous issue**

**No Previous Validation.**

**Prepared by**

**Product Stewardship**

**Notice to reader**

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

<b>Product name</b>	Castrol Aviator A 100	<b>Product code</b>	000003095	<b>Page:</b> 4/4
<b>Version</b> 1	<b>Date of issue</b>	<b>06/27/2007.</b>	<b>Format</b> Brazil	<b>Language</b> ENGLISH
	<b>Date of printing</b>	<b>06/27/2007.</b>	<b>Build 3.2.5 (Brazil)</b>	<b>(ENGLISH)</b>